

DATASHEET.

CUSTOM PLUS II Ultra-Compact Panel Printer

PLUS II

ULTRA-COMPACT PANEL PRINTER



MAIN FEATURES

- 200dpi best printing quality
- Paper width 58mm
- 50mm paper roll Ø
- "SIXLOAD" paper loading patented system
- Speed > of 50 mm/sec
- USB, TTL, RS232, Centronics interface
- Barcodes: EAN8, EAN13, ITF, CODE39, CODABAR
- Fonts: European, International, Portuguese, Nordic
- MTBF > of 800.000 hours
- Sensors: head temperature, paper end, cover open
- Dimensions (LxWxH): 85x57x85.5mm
- Weight: 140gr (without paper roll)

EXCLUSIVE FEATURES

- Print on "linerless" paper or standard thermal paper
- USB 2.0 on board
- Double opening of the cover: "comfort" with central lightened button or with "double hook"
- Wide range of power supply from 3.3V to 40Vdc
- ECOMODE and POWER OFF
- High reliability with big workloads thanks to the heat sink



SOFTWARE FEATURES

- Printing Driver for Win2000/XP/Vista/7 (+64bit support)
- Windows CE 5.0 Driver (PLC)
- Linux Driver
- Customizable fonts and logos: LogoMake, FontMake, UpgCePrn

EASYLOCK INNOVATIVE FIXING SYSTEM

- Reduces assembling time more than 80% !
- Allows to adapt PLUS II to any panel thickness
- Makes easy and fast printer fixing, without any tools!

MOST COMMON APPLICATIONS


- Garage equipments
- Medical instruments
- Panel PC and control systems
- Weighing instruments: industrial, portable
- Fire alarm controls
- Sterilization equipments
- Taximeters
- Truck tachigraph
- Access control
- Size measuring device: durometer, electricity, etc

AVAILABLE VERSIONS

- Serial RS232 + USB 10-32V power supply
- Serial RS232 + USB 3.3 - 8V
- Serial RS232 3.3-7V power supply
- Serial RS232 9-40V power supply
- Serial TTL 5V power supply
- Parallel Centronics 5V power supply
- Parallel Centronics 9-40V power supply



Beige color version.



Available also version with black door suitable for external use with very intense light, protecting the internal sensor from blindness



AVNET EMBEDDED OFFICES.

DENMARK

Avnet Embedded
Avnet Nortec A/S
Ellekær 9
2730 Herlev
Phone: +45 3678 6250
Fax: +45 3678 6255
denmark@avnet-embedded.eu

FINLAND

Avnet Embedded
Avnet Nortec Oy
Pihatörmä 1 B
02240 Espoo
Phone: +358 20 749 9 260
Fax: +358 20 749 9 280
finland@avnet-embedded.eu

FRANCE

Avnet Embedded
Avnet EMG France SA
Immeuble 154, Parc Chene 2
5, allée du General Benoist
69500 Bron
Phone: +33 4 72 81 02 30
Fax: +33 4 72 81 02 34
bron@avnet-embedded.eu

Avnet Embedded
Avnet EMG France SA
14 avenue Carnot
F-91349 MASSY Cedex
Tel: +33 (0)1 64 47 29 29
Fax: +33 (0)1 64 47 99 99
paris@avnet-embedded.eu

Avnet Embedded
Avnet EMG France SA
Les Peupliers II
35 avenue des Peupliers
35510 Cesson-Sévigné
Phone: + 33 2 99 77 37 02
Fax: + 33 2 99 77 37 01
rennes@avnet-embedded.eu

GERMANY (AUSTRIA, CZECH REPUBLIC, HUNGARY, POLAND, SWITZERLAND)

Avnet Embedded
Avnet EMG GmbH
Gruber Straße 60c
85586 Poing
Phone: +49 8121 775 500
Fax: +49 8121 775 550
poing@avnet-embedded.eu

Avnet Embedded
Avnet EMG GmbH
Lötscher Weg 66
41334 Nettetal
Phone: +49 8121 775 500
Fax: +49 8121 775 550
nettetal@avnet-embedded.eu

ITALY (PORTUGAL, SPAIN)

Avnet Embedded
Avnet EMG Italy SRL
Via Manzoni, 44
20095 Cusano Milanino
Phone: +39 02 660 92 1
Fax: +39 02 660 92 498
milano@avnet-embedded.eu

NETHERLANDS (BELGIUM, LUXEMBOURG)

Avnet Embedded
Avnet B.V.
Takkebijsters 2
4817 BL Breda
Phone: +31 76 5722400
Fax: +31 76 5722404
benelux@avnet-embedded.eu

SWEDEN (NORWAY)

Avnet Embedded
Avnet Nortec AB
Esplanaden 3 D
172 67 Sundbyberg
Phone: +46 8 564 725 50
Fax: +46 8 760 01 10
sweden@avnet-embedded.eu

UNITED KINGDOM (IRELAND)

Avnet Embedded
Avnet EMG Ltd.
Pilgrims Court, 15/17 West Street
Reigate, Surrey, RH2 9BL
Phone: +44 1737 227800
Fax: +44 1737 244698
uk@avnet-embedded.eu

All trademarks and logos are the property of their respective owners. No guarantee as to the accuracy, completeness or reliability of any information. Subject to modifications and amendments.