


DATASHEET.

Seiko Instruments DPU-S245

Mobile Printer

DPU-S245

- Max printing speed: 100mm/sec
- Interface: Bluetooth®, USB, IrDA (ver1.2) and Serial
- Small and Light-weight
- Easy paper operation
- Windows® drivers (XP, Vista)
- Software library (Windows® CE 5.0, Windows® Mobile 5.0 / 6.0)



DPU-S245

Model		DPU-S245
Printing	Methods	Thermal line dot printing
	Number of dots/line	384
	Resolution (dots/mm)	8
	Paper width (mm)	58 ⁺⁰ ₋₁
	Printing width (mm)	48
	Speed (mm/sec)max	100
	Outside diameter of paper roll (mm)max	φ38
	Character matrix (HxW dots)	24 x 12, 24 x 24, 16 x 8, 16 x 16
	Character dimensions (HxW mm)	3.0 x 1.5, 3.0 x 3.0, 2.0 x 1.0, 2.0 x 2.0
	Number of columns	24, 12, 32, 16
Type of Paper	Roll Paper	
Character type	Optional Font, Downloaded Character, User-defined Character, Extend Graphics Character set, Katakana Character set, JIS 1&2 level Kanji, CP1252	
Barcode	UPC-A/E, JAN(EAN)8/13, ITF, CODE39, CODABAR, CODE128, PDF417, QR Code, MaxiCode, Data Matrix	
Power supply (V)	Li-Ion Battery, Specified AC adapter	
Communication interface	Bluetooth® *1, USB, IrDA(ver1.2), Serial	
Input buffer	4K bytes	
Command	ESC/P *2 conformity	
Cutting	Tear bar	
Operating	Temperature (°C)	-10 to 50
	Humidity (%RH)	30 to 80 (Non condensation)
Storage	Temperature (°C)	-30 to 70
	Humidity (%RH)	5 to 90 (Non condensation)
Service Life (km)	50 *3	
Dimensions (WxDxH mm)	83 x 130 x 45 *4	
Mass (g)	Approx.280 *5	
Standard	FCC, CE, VCCI	
Option	AC adapter, Battery pack, Battery Charger, AC cable, USB cable, Serial cable	

*1 Only Bluetooth® model *2 ESC/P™ : Registered trademark of SEIKO EPSON CORP. *3 Use recommended thermal papers *4 Excluding protrusion *5 including battery, excluding roll paper
Windows® is the registered trademark of Microsoft Corporation (USA).

Serial interface specification

Item	Specification
Baud rate	1200, 2400, 4800, 9600, 19200, 38400, 57600, 115200 bps
Data bit	7bits, 8bits
Parity bit	Odd, Even, or None
Stop bit	1bit, 2bits
Control method	H/W BUSY, Xon/Xoff

USB interface specification

USB printerclass 2.0 conformity

Bluetooth® interface specification

Based on Bluetooth® Ver.2.0 + EDR

Infrared interface specification

Based on IrDA Ver. 1.2
Based on BHT Ir protocol

AVNET EMBEDDED OFFICES.

DENMARK

Avnet Embedded
Avnet Nortec A/S
Ellekær 9
2730 Herlev
Phone: +45 3678 6250
Fax: +45 3678 6255
denmark@avnet-embedded.eu

FINLAND

Avnet Embedded
Avnet Nortec Oy
Pihatörmä 1 B
02240 Espoo
Phone: +358 20 749 9 260
Fax: +358 20 749 9 280
finland@avnet-embedded.eu

FRANCE

Avnet Embedded
Avnet EMG France SA
Immeuble 154, Parc Chene 2
5, allée du General Benoist
69500 Bron
Phone: +33 4 72 81 02 30
Fax: +33 4 72 81 02 34
bron@avnet-embedded.eu

Avnet Embedded
Avnet EMG France SA
14 avenue Carnot
F-91349 MASSY Cedex
Tel: +33 (0)1 64 47 29 29
Fax: +33 (0)1 64 47 99 99
paris@avnet-embedded.eu

Avnet Embedded
Avnet EMG France SA
Les Peupliers II
35 avenue des Peupliers
35510 Cesson-Sévigné
Phone: + 33 2 99 77 37 02
Fax: + 33 2 99 77 37 01
rennes@avnet-embedded.eu

GERMANY (AUSTRIA, CZECH REPUBLIC, HUNGARY, POLAND, SWITZERLAND)

Avnet Embedded
Avnet EMG GmbH
Gruber Straße 60c
85586 Poing
Phone: +49 8121 775 500
Fax: +49 8121 775 550
poing@avnet-embedded.eu

Avnet Embedded
Avnet EMG GmbH
Lötscher Weg 66
41334 Nettetal
Phone: +49 8121 775 500
Fax: +49 8121 775 550
nettetal@avnet-embedded.eu

ITALY (PORTUGAL, SPAIN)

Avnet Embedded
Avnet EMG Italy SRL
Via Manzoni, 44
20095 Cusano Milanino
Phone: +39 02 660 92 1
Fax: +39 02 660 92 498
milano@avnet-embedded.eu

NETHERLANDS (BELGIUM, LUXEMBOURG)

Avnet Embedded
Avnet B.V.
Takkebijsters 2
4817 BL Breda
Phone: +31 76 5722400
Fax: +31 76 5722404
benelux@avnet-embedded.eu

SWEDEN (NORWAY)

Avnet Embedded
Avnet Nortec AB
Esplanaden 3 D
172 67 Sundbyberg
Phone: +46 8 564 725 50
Fax: +46 8 760 01 10
sweden@avnet-embedded.eu

UNITED KINGDOM (IRELAND)

Avnet Embedded
Avnet EMG Ltd.
Pilgrims Court, 15/17 West Street
Reigate, Surrey, RH2 9BL
Phone: +44 1737 227800
Fax: +44 1737 244698
uk@avnet-embedded.eu

All trademarks and logos are the property of their respective owners. This document provides a brief overview only and is not intended to be complete or binding offer. Product information, including information related to a product's specifications, uses or conformance with legal or other requirements, is obtained by Avnet from its suppliers or other sources deemed reliable and is provided by Avnet on an "As Is" basis. Avnet makes no representation as to the accuracy or completeness of the product information and Avnet disclaims all representations, warranties and liabilities under any theory with respect to the product information, including any implied warranties of merchantability, fitness for a particular purpose, title and/or non-refrangement. All product information is subject to change without notice.